



Union County Record Sheet 1-1 Grade 5

Name:

4-H Club

## **BEEF BITS**

F E E D E R C A L F D S I R E Q N D B Y IIEST XCKGEWMJUAZMERS BOAUAPANE ΙF ERDNJHEOE DFCANG IROMF SAF OTKROG SDNOMMBDA GYRE VLBDD ΙP BDFSXIOHVCDFHC WKDE С R REF IEHTNEMECALPERIOO D LSLKCDERBERUPRUK Т W F G E L A F Q H J M N B Q N E H G N O O B ΚΟΕ UROWOVL Q Т DRVPEXT F PMIRSWSZ IVQIORC Т ТΕ FV WΓ VMBUB ΤL С Т RDLUQUBBR ΥJΓ THSZQYEUXUDKFRNJ 0 GXWJF ISACXZCBNXEGAOE 0 P C A V Y K I I P Z P G O P R E H U J WMLHZ S ΒV TLNGHZEUNFDO ALRCNMKVYIPCXHZXQCAS GCAKUDXWDR Т С IYIVPEUC BYCBYCUXS DVEZOROJXE Т GKEYOGIOTFLTZJREKCMZ

## WORD BANK

BRITISH BREED BROOD COW CUD EXOTIC BREED FEEDER CALF FEEDLOT FORAGES FREE CHOICE



HEREDITY POLLED BREED PUREBRED REPLACEMENT HEIFER SIBLING SIRE WEAN

Purdue University, Indiana Counties and U.S. Department of Agriculture Cooperating An Affirmative Action/Equal Opportunity Institution

- 1. If the handler never allows the animal's \_\_\_\_\_\_ to drop, a steer or heifer will seldom escape.
- 2. The \_\_\_\_\_\_ (also known as the bowknot or reefer's knot) is the standard knot used to tie an animal to a post or stall at the fair.
- 3. Knot users consider the \_\_\_\_\_\_ knot one of the most useful knots. It is a nonslip knot, as such it can be used to form a loop that will not tighten or draw down.
- 4. Beef, swine, and dairy cattle are partially \_\_\_\_\_\_ and have poor depth perception.
- 5. The key to safely handling animals is being aware of and respecting animals comfort or \_\_\_\_\_.
- 6. Livestock animals have wide angle vision. They can see everything except what is in their \_\_\_\_\_\_, which is directly behind them.
- 7. There are four basic types of identification: \_\_\_\_\_, \_\_\_\_, and freeze branding.
- 8. The \_\_\_\_\_\_ is not a desirable form of identification, simply because of the damage it causes to the \_\_\_\_\_\_, the \_\_\_\_\_\_ on the animal and special equipment that is required.
- 9. Separate new animals on the farm from the rest of the herd for \_\_\_\_\_\_ to \_\_\_\_\_ days. Also separate animals you have taken to a show from the animals left at the farm because show animals have been in contact with other animals and could have contracted a disease organism.
- 10. There are two types of flies that are major pests to cattle: the \_\_\_\_\_\_ fly and the \_\_\_\_\_\_ fly.
- 11. Ringworm is a \_\_\_\_\_\_ that gets into the skin and develops a rough skin condition where the hair drops out in patches. You can get ringworm on your skin by handling infected cattle. You should wear \_\_\_\_\_\_ when handling infected animals.



Horses, cats, and dogs are not required to complete numbers 2 and 3.

	Sex	Date of Birth	Date Obtained	
· · · · · · · · · · · · · · · · · · ·				
			-	
~				
		· · · · · · · · · · · · · · · · · · ·		

## Animals Owned

1. Expenses for the Animal(s)

	Animal(s) if purchased	\$		
	Feed	\$		
	Bedding	\$		
	Vet	\$		
			Total Expenses	\$
2.	Income from Animal(s) market animals sold	\$		
	Estimated value of animal to be sold in 4-H	Auction \$		
			Total Income	\$
3.	Value of breeding animals		Asset Value	\$
	Value of your cat or dog			\$
			Net Profit / Loss	\$
	Member Signature:			
	Parent Signature:			
	Leader Signature:			