

Name _____ School _____ Contestant Number _____

Grain Grading Answer Sheet

Score ____/200

GRADE AND KIND
U.S. No. 2 Yellow Corn

Sample 1
Score ____/25

TEST WEIGHT PER BUSHEL	MOISTURE	HEAT DAMAGED KERNELS	DAMAGED KERNELS (TOTAL)	FOREIGN MATERIAL	SPLITS	BROKEN CORN AND FOREIGN MATERIAL	SHRUNKEN AND BROKEN KERNELS	DEFECTS (TOTAL)
54.0* LBS.	13.7* %	%	2.4 %	%	%	3.0* %	%	%

Sample #1

REMARKS

GRADE AND KIND
U.S. No. 4 Mixed Corn, Flint and Dent, Flint Corn 6.0%, Infested

Sample 2
Score ____/25

TEST WEIGHT PER BUSHEL	MOISTURE	HEAT DAMAGED KERNELS	DAMAGED KERNELS (TOTAL)	FOREIGN MATERIAL	SPLITS	BROKEN CORN AND FOREIGN MATERIAL	SHRUNKEN AND BROKEN KERNELS	DEFECTS (TOTAL)
56.5* LBS.	13.2* %	0.6* %	2.7 %	%	%	2.2 %	%	%

Sample #2

REMARKS
White Corn 94.0%*
Yellow Corn 6.0%*

GRADE AND KIND
U.S. No. 2 Yellow Corn

Sample 3
Score ____/25

TEST WEIGHT PER BUSHEL	MOISTURE	HEAT DAMAGED KERNELS	DAMAGED KERNELS (TOTAL)	FOREIGN MATERIAL	SPLITS	BROKEN CORN AND FOREIGN MATERIAL	SHRUNKEN AND BROKEN KERNELS	DEFECTS (TOTAL)
56.0* LBS.	16.6* %	%	1.5 %	%	%	2.8* %	%	%

Sample #3

REMARKS

GRADE AND KIND
U.S. No. 6 Sample Grade Yellow Corn

Sample 4
Score ____/25

TEST WEIGHT PER BUSHEL	MOISTURE	HEAT DAMAGED KERNELS	DAMAGED KERNELS (TOTAL)	FOREIGN MATERIAL	SPLITS	BROKEN CORN AND FOREIGN MATERIAL	SHRUNKEN AND BROKEN KERNELS	DEFECTS (TOTAL)
56.0* LBS.	13.2* %	%	0.9 %	%	%	3.1 %	%	%

Sample #4

REMARKS
Commercially Objectionable Foreign Odor*

Sample 5
Score ____/25

GRADE AND KIND
U.S. No. 1 Sample Grade Mixed Soybeans

TEST WEIGHT PER BUSHEL	MOISTURE	HEAT DAMAGED KERNELS	DAMAGED KERNELS (TOTAL)	FOREIGN MATERIAL	SPLITS	BROKEN CORN AND FOREIGN MATERIAL	SHRUNKEN AND BROKEN KERNELS	DEFECTS (TOTAL)
56.9* LBS.	16.1* %	%	3.9 %	3.2 %	11.2 %	%	%	%

Sample #5

REMARKS
 Black Soybeans 100.0%*
 Cumulative Total*

GRADE AND KIND
U.S. No. 2 Yellow Soybeans

Sample 6
 Score ____/25

TEST WEIGHT PER BUSHEL	MOISTURE	HEAT DAMAGED KERNELS	DAMAGED KERNELS (TOTAL)	FOREIGN MATERIAL	SPLITS	BROKEN CORN AND FOREIGN MATERIAL	SHRUNKEN AND BROKEN KERNELS	DEFECTS (TOTAL)
56.0* LBS.	13.5* %	%	2.7* %	0.3 %	%	%	%	%

Sample #6

REMARKS

GRADE AND KIND
U.S. No. 4 Soft Red Winter Wheat, Dockage 5.2%

Sample 7
 Score ____/25

TEST WEIGHT PER BUSHEL	MOISTURE	HEAT DAMAGED KERNELS	DAMAGED KERNELS (TOTAL)	FOREIGN MATERIAL	SPLITS	BROKEN CORN AND FOREIGN MATERIAL	SHRUNKEN AND BROKEN KERNELS	DEFECTS (TOTAL)
58.0* LBS.	13.2* %	%	2.3 %	2.3* %	%	%	1.5 %	6.1 %

Sample #7

REMARKS
 Contrasting Classes 2.9%
 Wheat of Other Classes (Total) 2.9%

GRADE AND KIND
U.S. No. 3 Soft Red Winter Wheat, Light Smutty, Dockage 5.5%

Sample 8
 Score ____/25

TEST WEIGHT PER BUSHEL	MOISTURE	HEAT DAMAGED KERNELS	DAMAGED KERNELS (TOTAL)	FOREIGN MATERIAL	SPLITS	BROKEN CORN AND FOREIGN MATERIAL	SHRUNKEN AND BROKEN KERNELS	DEFECTS (TOTAL)
60.0* LBS.	12.7* %	%	2.0 %	%	%	%	4.6 %	6.7* %

Sample #8

REMARKS

