| Name | KEY | S | chool | Contestant Number KEY | | | | |
|-----------------------------------|------------------------|-------------------------|----------------------------|------------------------------|----------------|-------------------------------------|--------------------------------|----------------------|
| | | 2015 S | tate Grain | Grading A | Answer S | Sheet | Score | _/200 |
| GRADE AND R U.S. No. 2 | | 'n | | | | | | Sample 1 Score/25 |
| TEST WEIGHT PER BUSHEL | MOISTURE | HEAT DAMAGED KERNELS | DAMAGED KERNELS (TOTAL) | FOREIGN MATERIAL | SPLITS | BROKEN CORN AND FOREIGN MATERIAL | SHRUNKEN AND BROKEN KERNELS | DEFECTS (TOTAL) |
| 55.0* LBS. | 14.7* % | % | 3.2*% | % | % | 2.2* % | % | % |
| Sample #1 | | | | REMARKS | | | | |
| | | | | | | | | S1- 2 |
| GRADE AND K | | | | | | | | Sample 2 Score/25 |
| U.S. No. 3 TEST WEIGHT PER BUSHEL | Mixed Co | HEAT DAMAGED KERNELS | DAMAGED KERNELS (TOTAL) | FOREIGN MATERIAL | SPLITS | BROKEN CORN AND FOREIGN MATERIAL | SHRUNKEN AND BROKEN KERNELS | DEFECTS (TOTAL) |
| 54.4* LBS. | 13.8* % | % | 5.2*% | % | % | 2.3% | % | % |
| Sample #2 | | | | White Corn Yellow Corn | | | | Sample 3 |
| GRADE AND R U.S. No. 4 | | n | | | | | | Score/25 |
| TEST WEIGHT PER BUSHEL | MOISTURE | HEAT DAMAGED KERNELS | DAMAGED KERNELS (TOTAL) | FOREIGN MATERIAL | SPLITS | BROKEN CORN AND FOREIGN MATERIAL | SHRUNKEN AND BROKEN KERNELS | DEFECTS (TOTAL) |
| 55.3* LBS. | 14.4* % | % | 3.1% | % | % | 4.5*% | % | % |
| Sample #3 | | | | REMARKS | | | | |
| GRADE AND K | AIND Sample Grade Y | Yellow Corn | | | | | | Sample 4 Score/25 |
| TEST WEIGHT PER BUSHEL | MOISTURE | HEAT DAMAGED KERNELS | DAMAGED KERNELS (TOTAL) | FOREIGN MATERIAL | SPLITS | BROKEN CORN AND FOREIGN MATERIAL | SHRUNKEN AND BROKEN KERNELS | DEFECTS (TOTAL) |
| 56.1* LBS. | 13.4* % | 1.1% | 1.1% | % | % | 3.5% | % | % |
| Sample #4 | | | | remarks Unknown F | oreign Substar | nce(s)* | | |

| GRADE AND K U.S. No. 2 | | Soyl | beans | | | | | | Sample 5 Score/25 |
|---------------------------|----------|-------|-------------------------|----------------------------|--------------------------------|--------------------------------|-------------------------------------|--------------------------------|----------------------|
| TEST WEIGHT PER BUSHEL | MOISTURE | | HEAT DAMAGED KERNELS | DAMAGED KERNELS (TOTAL) | FOREIGN MATERIAL | SPLITS | BROKEN CORN AND FOREIGN MATERIAL | SHRUNKEN AND BROKEN KERNELS | DEFECTS (TOTAL) |
| 55.0* LBS. | 15.2* | % | % | 0.5% | 1.8*% | 7.5% | % | % | % |
| Sample #5 | | | | | | peans 88.8%* ybeans 11.2%* | | | |
| GRADE AND K U.S. No. 3 | Yellow | y Soy | | | | | | | Sample 6 Score/25 |
| TEST WEIGHT PER BUSHEL | MOISTURE | | HEAT DAMAGED KERNELS | DAMAGED KERNELS (TOTAL) | FOREIGN MATERIAL | SPLITS | BROKEN CORN AND FOREIGN MATERIAL | SHRUNKEN AND BROKEN KERNELS | DEFECTS (TOTAL) |
| 56.3* LBS. | 15.0* | % | % | 3.5* % | 1.3% | 15.4 % | % | % | % |
| GRADE AND K | IND | | | | | | | | Sample 7 Score/25 |
| U.S. No. 3 | Soft R | ed W | inter Wheat, Do | | | | | | |
| TEST WEIGHT PER BUSHEL | MOISTURE | | HEAT DAMAGED KERNELS | DAMAGED KERNELS (TOTAL) | FOREIGN MATERIAL | SPLITS | BROKEN CORN AND FOREIGN MATERIAL | SHRUNKEN AND BROKEN KERNELS | DEFECTS (TOTAL) |
| 60.7* LBS. | 14.2* | % | % | 1.2% | 1.2* % | % | % | 2.5% | 4.9 % |
| Sample #7 | | | | | REMARKS Wheat of O Contrast Cl | ther Classes (To asses 2.0% | otal) 5.0% | | |
| GRADE AND K | | Soft | Red Winter Whea | t, Light Smutty, Do | ockage 4.0% | | | | Sample 8 Score/25 |
| TEST WEIGHT PER BUSHEL | MOISTURE | | HEAT DAMAGED KERNELS | DAMAGED KERNELS (TOTAL) | FOREIGN MATERIAL | SPLITS | BROKEN CORN AND FOREIGN MATERIAL | SHRUNKEN AND BROKEN KERNELS | DEFECTS (TOTAL) |
| 60.7* LBS. | 14.3* | % | % | 2.5% | 2.5% | % | % | 4.4% | 9.5% |
| Sample #8 | | | | | REMARKS Cumulative | Total* | , | , | |