

# PURDUE EXTENSION BOONE COUNTY

## 4-H STARTER CALF WORKSHEETS

Grade 6-C



Name: \_\_\_\_\_

Club Name: \_\_\_\_\_

Grade: \_\_\_\_\_

Date: \_\_\_\_\_

## BEEF TERMS

E Q E I L D X C C O W V N S B L G B H C  
E O E N T N X R R Y D S M E Z I N E S H  
T O R O K P P W F O U B Q T P Y S R X R  
Y B G N S R V T S P S Z B I T V D F Q O  
L W I D C S I G P Q O S O S M E K F G M  
Y X D N Y X X L X A K J B A E Y V N T O  
Y W E I N T E R N A L P A R A S I T E S  
Z T P J M M Y C E E F U B A E C R O Q O  
Y F I B E B Y G O I D E R P Y E R C I M  
R J K N J Z A P N L S O C L W R D C Y E  
Y D T A U H J I D O L Y P A R D C I Q I  
I G B T G M S I P Q Y H M N R I V V N W  
A E T U Z H M R A I H V I R E C I B P G  
Q P O T P R U I X B X H S E H E A C D V  
V R J C Z P Q F X U S Z V T O S G S Q F  
P P S W L R U M I N A N T X R D N L S K  
S T H A Y T I L I T R E F E M S L Q O D  
O J U N K Z Z I A B D V A W O R Y U E S  
W D H M Y B F K D V Z A W C N H E M D L  
Y P Z U O G U D K B N X N W E Y B X J W

### WORD BANK

CARCASS  
CHROMOSOME  
CROSS BREEDING  
DUAL PURPOSE BREED  
EXTERNAL PARASITES  
FERTILITY  
FINISH

HORMONE  
IMMUNITY  
INTERNAL PARASITE  
PEDIGREE  
ROUGHAGE  
RUMINANT  
SUPPLEMENT

Answers can be found in the OSU Beef Resource Handbook – 4-H 117R.

Purdue University is an equal access/equal opportunity institution.  
This material may be available in alternative formats.

1. List two ways to promote hair growth: \_\_\_\_\_  
\_\_\_\_\_
2. When leading your calf, you should be on the calf's \_\_\_\_\_ side with the halter in your \_\_\_\_\_ hand.
3. There are two types of lice: \_\_\_\_\_ and \_\_\_\_\_.
4. Face flies cluster around the head and face, and they irritate the eyes. Face flies may also spread the infection called \_\_\_\_\_.
5. Grubs, which is part of the life-cycle of the Heel Fly (Warble Fly) is another pest of cattle producers. Grubs can cause significant economic loss as a result of reduced \_\_\_\_\_, damage to the \_\_\_\_\_ and lower \_\_\_\_\_ values.
6. There are four ways to treat cattle for internal parasites:  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
7. List four of the seven treatments used to control external parasites.  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
8. List eight careers in the Beef Industry that are listed in your Beef Resource Handbook, 4-H 117R.  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
9. Water should be at a comfortable temperature. Drinkable water is usually between 40 degrees and 65 degrees Fahrenheit. Steers that have access to cool drinking water will gain between \_\_\_\_\_ to \_\_\_\_\_ pounds more per day than those drinking warm water.

Answers can be found in the OSU Beef Resource Handbook – 4-H 117R.