PURDUE EXTENSION BOONE COUNTY

4-H BEEF WORKSHEETS

Grade 5-A

Name:	
Club Name:	
•	

ENS	Grade: Date:	

BEEF BITS

F	E	Ε	D	E	R	С	Α	L	F	D	S	I	R	E	Q	Ν	D	В	Y
I	I	E	S	Т	X	С	K	G	E	W	M	J	U	Α	Z	M	E	R	S
В	Q	Α	U	Α	Р	Α	N	E	I	F	E	R	D	N	J	Η	E	Ο	Ε
D	F	С	Α	N	G	I	R	Ο	M	F	S	Α	F	Ο	Т	K	R	Ο	G
G	Y	R	E	V	L	В	D	D	I	Ρ	S	D	N	Ο	Μ	M	В	D	Α
W	K	D	Ε	В	D	F	S	Х	I	Ο	Η	V	С	D	F	Η	С	С	R
R	\mathbf{E}	F	I	E	Η	Т	N	E	M	E	С	Α	L	Р	E	R	I	Ο	0
D	L	S	L	K	С	D	E	R	В	E	R	U	Ρ	R	U	K	Т	W	F
G	E	L	Α	F	Q	Η	J	M	N	В	Q	N	E	Η	G	N	Ο	Ο	В
K	Ο	E	U	R	Ο	W	Ο	V	L	Q	Т	D	R	V	Р	E	Х	Т	F
Ρ	M	I	R	S	W	S	Z	I	V	Q	I	Ο	R	С	Т	Т	E	F	V
W	F	V	M	В	U	В	Т	L	С	Т	R	D	L	U	Q	U	В	В	R
Q	Y	J	F	Т	Η	S	Z	Q	Y	E	U	Х	U	D	K	F	R	N	J
G	Х	W	J	F	I	S	Α	С	Х	Z	С	В	N	Х	Ε	G	Α	Ο	E
Q	Р	С	Α	V	Y	K	I	I	Р	Z	Р	G	Q	Р	R	E	Η	U	J
W	M	L	Η	Z	S	В	V	Т	L	N	G	Η	Z	E	U	N	F	D	Q
Α	L	R	С	N	M	K	V	Y	I	Р	С	Χ	Η	Z	Χ	Q	C	Α	S
Τ	G	С	Α	K	U	D	Х	W	D	R	С	I	Y	I	V	Ρ	E	U	C
D	V	E	Z	Ο	R	0	J	Х	E	Т	В	Y	С	В	Y	С	U	Х	S
G	K	E	Y	Ο	G	I	Ο	Т	F	L	Т	Z	J	R	E	K	С	M	Z

WORD BANK

BRITISH BREED BROOD COW CUD EXOTIC BREED FEEDER CALF FEEDLOT FORAGES FREE CHOICE HEREDITY
POLLED BREED
PUREBRED
REPLACEMENT HEIFER
SIBLING
SIRE
WEAN

1.	If the handler never allows the animal's to drop, a steer or heifer will seldom escape.
2.	The (also known as the bowknot or reefer's knot) is the standard knot used to tie an animal to a post or stall at the fair.
3.	Knot users consider the knot one of the most useful knots. It is a nonslip knot, as such it can be used to form a loop that will not tighten or draw down.
4.	Beef, swine, and dairy cattle are partiallyand have poor depth perception.
5.	The key to safely handling animals is being aware of and respecting animals comfort or
6.	Livestock animals have wide angle vision. They can see everything except what is in their, which is directly behind them.
7.	There are four basic types of identification:, and freeze branding.
8.	The is not a desirable form of identification, simply because of the damage it causes to the, the on the animal and special equipment that is required.
9.	Separate new animals on the farm from the rest of the herd for to days. Also separate animals you have taken to a show from the animals left at the farm because show animals have been in contact with other animals and could have contracted a disease organism.
10.	There are two types of flies that are major pests to cattle: the fly and the fly.
11.	Ringworm is a that gets into the skin and develops a rough skin condition where the hair drops out in patches. You can get ringworm on your skin by handling infected cattle. You should wear when handling infected animals.